

Buying Guide



Warewashers have become increasingly sophisticated with technological advancements to optimise wash performance, whilst improving efficiency and energy consumption.

There is a wide variety of different machine options available: the most important element is to identify the right machine with the right specification for your application and the space available. The ranges vary from compact, under-counter front loading dish and glasswashers to the more powerful and faster pass through rack and flight machines. Ideally you should have separate machines for glass and plate/pot washing, but there are machines that can tackle both.

Energy efficiency is a high priority - certain models now have innovative energy saving features and higher specification levels that make the machines much more economical to run on a day to day basis and save considerable costs in labour too.

When buying a unit consider the cost of ownership and not just the purchase price (purchase costs + running costs + life expectancy) - machines with better specification levels that cost that little bit more are well worth the investment for the long term and for vital food safety too.

Warewashing equipment is usually in continual use throughout the day and is a vital part of food safety and an operation's overall service and presentation, so ensuring you get the right machine for the job is crucial, but also check the whole wash area works as efficiently as possible too. With this in mind, look at our comprehensive range of stainless steel tabling to complement all warewashers for efficient loading and unloading.

Advantages










- Innovations include programmes which eliminate the need for manual pre-washing, with adjustable cycle times and variable water pressures to allow operators to change the programme according to the level of soiling and fluctuations during peak service times, giving improved productivity and flexibility.
- Water saving features help reduce running costs, plus filtration systems help keep the wash water cleaner for longer, saving energy needed to heat new water and reducing the need for more chemicals too.
- Diagnostic monitoring can help ensure the equipment operates at its best, especially relevant in light of potential new regulations that will require caterers to test for the hygienic operation of their machines, ensuring they operate at the optimum 82°C temperature for hygienic cleaning.

Advantages

By choosing the right model and maintaining it, you can expect it to last around 10 years.

- **Capacity** - Think of the maximum number of covers it will need to cope with. Plan ahead to ensure it is suitable for current demand and peaks plus any future plans for expansion - think long term investment. Adding dedicated racks for tall glasses or large trays can maximise the productivity and capacity and reduce operating times.
- **Build quality and reliability** - Price is a key consideration but don't go down the cheaper route, choose a leading commercial brand. Higher prices are usually justified due to higher grade components for a longer life and better results too. A full manufacturer's warranty, spare parts availability and good after sales service, including a maintenance contract, are advised.
- **Operational features** - Double skinned construction to minimise noise levels and reduce heat loss. Optional drain heat recovery units that use waste water to heat the fresh incoming water, reducing the amount of energy used. Energy standby features that allow water temperatures to drop and be maintained at safe (but lower) temperatures in periods when the machine isn't being used. Lower rinse water consumption and smaller wash tanks for greater economic performance, reducing electric, water and chemical usage without compromising on hygiene or results. Integral water softeners (or consider machines that use reverse osmosis) to combat limescale build-up and help prolong the life of the machine and maintain wash results. Peristaltic auto-dosing pumps to ensure correct chemicals usage. Insulated water boilers to reduce heat loss and running costs.

Key to icons

	Light Duty Designed for commercial use in a less busy environment
	Medium Duty Strongly constructed to perform in a busy situation
	Heavy Duty High standard of build to provide good service under heavy use
	Extra Heavy Duty High powered, fast throughput with the highest standard of build
	13 Amp Plug and go!
	Hardwired Hard wiring required
	Gas
	Stainless Steel Construction
	Warranty

LB200 



- 350mm square basket
- Maximum output of 30 racks per hour
- 2 minute cycle time
- External Dimensions: 430 W 520 D 635 H
- On Site Warranty

1 YEAR WARRANTY  

LB215 



The Comenda LB215 is perfectly suited to back bar applications and restaurants and also available with drain pump or internal softener options. Capable of handling up to 30 racks per hour with a preset cycle time of 120 seconds, it has a large clearance height of 205mm ensuring suitability for most glass heights. Rinse temperature interlock system comes as standard, along with an inbuilt stainless steel micro filtration system for durability and maximum hygiene.

- 400mm square basket
- Maximum output of 30 racks per hour
- 2 minute cycle time
- Hot or cold water feed
- External Dimensions: 460 W 520 D 635 H
- On Site Warranty

1 YEAR WARRANTY  

P35 



- 350mm square basket
- 30 basket per hour output
- 120 second cycle time
- External Dimensions: 420 W 495 D 645 H
- On Site Warranty

1 YEAR WARRANTY  

EC01 



- 350mm square basket
- Maximum output of 30 racks per hour
- 2 minute cycle time
- External Dimensions: 410 W 512 D 640 H
- On Site Warranty


1 YEAR WARRANTY  

SG4E 



- 400mm square basket
- Maximum output of 30 racks per hour
- 2 wash cycles
- External Dimensions: 460 W 521 D 680 H
- On Site Warranty

1 YEAR WARRANTY  

P41B 



- 400mm square basket
- 30 basket per hour output
- 120 second cycle time
- External Dimensions: 470 W 535 D 710 H
- On Site Warranty

1 YEAR WARRANTY  

UG405DSUK 



- 400mm square basket
- 40/24/15 baskets per hour
- Integral water softener
- External Dimensions: 440 W 530 D 710 H
- On Site Warranty

1 YEAR WARRANTY  

CWG420D-1 



- 400mm basket
- Up to 60 baskets per hour
- Electronic controls with 6 programs
- External Dimensions: 488 W 530 D 705 H
- On Site Warranty

1 YEAR WARRANTY  

402082 



- 400mm square basket
- Max 30 racks/hr
- 120 second cycle time
- External Dimensions: 456 W 495 D 700 H
- On Site Warranty

2 YEAR WARRANTY   

Glasswashers

LB215DP 



- 400mm square basket
- Maximum output of 30 racks per hour
- 2 minute cycle time
- External Dimensions: 460 W 520 D 635 H
- On Site Warranty

1 YEAR WARRANTY   

EC02P 



- 400mm square basket
- Max output of 30 racks/hour
- Drain pump
- External Dimensions: 450 W 550 D 750 H
- On Site Warranty

1 YEAR WARRANTY   

X40BD 



- 400mm square basket
- Maximum output of 30 racks per hour
- 120, 130 and 180 second cycle times
- External Dimensions: 470 W 535 D 670 H
- On Site Warranty

2 YEAR WARRANTY   

DU02 



- 400mm square basket
- Max output 30 racks/hr
- Drain pump
- External Dimensions: 470 W 550 D 760 H
- On Site Warranty

2 YEAR WARRANTY   

BC2E 



- 400mm square basket
- Maximum output of 40 racks per hour
- 1.5/2/3/8 minute cycle times
- External Dimensions: 480 W 540 D 650 H
- On Site Warranty

2 YEAR WARRANTY   

402115 



- 400mm square basket
- Max 30 racks/hr
- 120 second cycle time
- External Dimensions: 460 W 565 D 715 H
- On Site Warranty

2 YEAR WARRANTY    

UG405DUK 



Part of the growing range of Smeg Warewashing solutions, this model offers high quality at an affordable price. An insulated double skinned door helps to keep energy usage to a minimum and a self diagnostic system with fault warning offers peace of mind.

- 400mm square basket
- 3 programs
- Drain pump
- Self diagnosis system with fault warning
- External Dimensions: 440 W 530 D 710 H
- 40/24/15 baskets per hour
- Rinse aid & detergent dispensers
- Insulated double skinned door
- Self cleaning cycle
- On Site Warranty

1 YEAR WARRANTY   

690028 



- 500mm square basket
- Max 30 racks/hr
- 90 or 180 second cycle times
- External Dimensions: 600 W 610 D 820 H
- On Site Warranty

1 YEAR WARRANTY    

CWG521SDUK 



- 500mm basket
- Up to 60 baskets per hour
- Electronic controls with 7 programs
- External Dimensions: 600 W 600 D 820 H
- On Site Warranty

1 YEAR WARRANTY   

Glasswashers & Undercounter Dishwashers

T: 01296 663 400
E: sales@rhhall.com
W: www.rhhall.com

Warewashing

UC-ME **winterhalter**



- 500mm square basket
- Maximum output of 48 racks per hour
- 1 phase
- External Dimensions: 600 W 657 D 715 H
- On Site Warranty

1 YEAR WARRANTY  

EC03 **CLASSEQ**



- 500mm square basket
- Maximum output of 30 racks per hour
- Drain pump
- External Dimensions: 550 W 630 D 825 H
- On Site Warranty

1 YEAR WARRANTY  

DU03/WS **CLASSEQ**



- 500mm square basket
- Max output 30 racks/hr
- Drain pump
- External Dimensions: 570 W 630 D 835 H
- On Site Warranty

2 YEAR WARRANTY  

SWT262T **smeg**



- For semi professional use
- Twin basket
- Electronic soft touch controls with 7 programs
- External Dimensions: 600 W 605 D 850 H
- On Site Warranty

1 YEAR WARRANTY  

LF324 **COMENDA**
PROFESSIONAL



Part of the Comenda Essential range, the LF324 dishwasher has been one of our most popular models for many years. Supplied as standard with a drain pump and WRAS approved to Category 5, this model is suitable for any application. An internal water softener is also available at extra cost.

- 500mm basket
- Hot or cold feed
- Drain/rinse booster pump
- 1 or 3 phase
- External Dimensions: 600 W 600 D 820 H
- Max 30 racks/hr
- Internal class 'A' air gap
- Detergent/rinse aid injectors
- 3.2kW/5.8kW/8.5kW
- On Site Warranty

1 YEAR WARRANTY   

F3EHR **COMENDA**
PROFESSIONAL



- 500mm square basket
- Max 60 racks/hr
- 1 or 3 phase
- External Dimensions: 600 W 610 D 730 H
- On Site Warranty

2 YEAR WARRANTY  

SW262M **smeg**



- For semi professional use
- Twin basket
- Electronic soft touch controls
- External Dimensions: 600 W 605 D 850 H
- On Site Warranty

1 YEAR WARRANTY 

PG808013A **Miele**
PROFESSIONAL



- Freestanding
- 2 baskets
- 9 programmes
- External Dimensions: 598 W 600 D 845 H
- On Site Warranty

1 YEAR WARRANTY 

PG8080U32A **Miele**
PROFESSIONAL



- Built under
- 2 baskets
- 9 programmes
- External Dimensions: 598 W 600 D 805 H
- On Site Warranty

1 YEAR WARRANTY 

Undercounter Dishwashers

PG8082SCiXXL

Miele
PROFESSIONAL



- Semi integrated
- 2 baskets
- 9 programmes
- External Dimensions: 598 W 570 D 845 H
- On Site Warranty



PG8083SCViXXL

Miele
PROFESSIONAL



- Fully integrated
- 2 baskets
- 9 programmes
- External Dimensions: 598 W 570 D 845 H
- On Site Warranty



H400

CLASSEQ



- 400mm square basket
- Max 20 racks/hr
- 3 min cycle time
- External Dimensions: 450 W 550 D 750 H
- On Site Warranty



DU0400

CLASSEQ



- 400mm basket
- Max 20 racks/hr
- Drain pump
- External Dimensions: 470 W 550 D 760 H
- On Site Warranty



PG8055

Miele
PROFESSIONAL



- 9 minute cycle time
- Up to 40 cycles a day
- White finish
- External Dimensions: 598 W 580 D 835 H
- On Site Warranty



PG8056

Miele
PROFESSIONAL



- 5 minute cycle time
- Up to 40 cycles a day
- White finish
- External Dimensions: 598 W 580 D 835 H
- On Site Warranty



CW521DUK

smeg
FOODSERVICE



This fully double skinned and insulated dishwasher is perfect for energy conscious operations and also incorporates all key features required for the busy caterer. Rinse aid and detergent dispensers ensure ease of use, along with electronic controls with a total of 7 programs.

- 500mm basket
- Electronic controls with 7 programs
- Drain pump & triple stage filter system
- Self diagnostic system
- Rinse booster pump
- External Dimensions: 600 W 600 D 820 H
- Up to 60 baskets per hour
- Double skinned & insulated
- Multi phase machine switchable on site
- Detergent and rinse aid dispensers
- Powerful 2kW wash tank heating element
- On Site Warranty



PG8056SS

Miele
PROFESSIONAL



- 5 minute cycle time
- Up to 40 cycles a day
- Stainless Steel finish
- External Dimensions: 598 W 580 D 835 H
- On Site Warranty



PG8058

Miele
PROFESSIONAL



- 13 wash programmes
- 5 minute cycle time
- Stainless Steel finish
- External Dimensions: 598 W 598 D 835 H
- On Site Warranty



Undercounter Dishwashers

T: 01296 663 400
E: sales@rhhall.com
W: www.rhhall.com

Warewashing

PG8059SS

Miele
PROFESSIONAL



- 13 wash programmes
- 83°C final rinse temperature
- Stainless Steel finish
- External Dimensions: 598 W 598 D 835 H
- On Site Warranty



LF321

COMENDA
PROFESSIONAL



- 500mm square basket
- Max 30 racks/hr
- No class 'A' air gap
- External Dimensions: 600 W 600 D 820 H
- On Site Warranty



502033

Electrolux



The 'Green & Clean' 502033 dishwasher includes a built in atmospheric boiler to raise water input at 50°C to a minimum of 84°C for sanitizing, with no need for an external booster. The 'Wash Safe Control' feature confirms that all items have been rinsed correctly at the end of each cycle.

- 500mm square basket
- Green and Clean
- Wash safe control
- Drain, detergent & rinse aid pumps
- External Dimensions: 600 W 612 D 850 H
- Max 40 racks per hour
- Double skinned
- Hot/cold feed
- 5.35kW
- On Site Warranty



P50B

sammic



- 500mm square basket
- 20 baskets per hour output
- 180 second cycle time
- External Dimensions: 600 W 630 D 835 H
- On Site Warranty



SD5ECBT

BLUE SEAL



- 500mm square basket
- Max 30 racks per hour
- 2 wash cycles
- External Dimensions: 600 W 620 D 820 H
- On Site Warranty



H700P

CLASSEQ



- 500mm square basket
- Max 20 racks/hr
- Drain pump
- External Dimensions: 550 W 630 D 825 H
- On Site Warranty



UC-LE

winterhalter



- 500mm square basket
- Max output 48 racks/hr
- 1 phase
- External Dimensions: 600 W 657 D 810 H
- On Site Warranty



H750M

CLASSEQ



- 500mm square basket
- Max 20 racks/hr
- 3 min cycle time
- External Dimensions: 550 W 630 D 825 H
- On Site Warranty



LF324A

COMENDA
PROFESSIONAL



- 500mm basket
- Max 30 racks/hr
- Hot or cold feed
- External Dimensions: 600 W 620 D 820 H
- On Site Warranty




Undercounter & Passthrough Dishwashers

CW521SDUK 



- 500mm basket
- Up to 60 baskets per hour
- Electronic controls with 7 programs
- External Dimensions: 600 W 600 D 820 H
- On Site Warranty

1 YEAR WARRANTY   

X60B 



- 500mm square basket
- Up to 30 baskets per hour output
- 120, 150 and 180 second cycle times
- External Dimensions: 600 W 630 D 835 H
- On Site Warranty

2 YEAR WARRANTY  

502034 



- 500mm square basket
- Max 40 racks per hour
- Green and Clean
- External Dimensions: 600 W 612 D 850 H
- On Site Warranty

2 YEAR WARRANTY    

DU0750 



- 500mm basket
- Max 20 racks/hr
- Drain pump
- External Dimensions: 570 W 630 D 835 H
- On Site Warranty

2 YEAR WARRANTY  

F4EHR 



- 500mm square basket
- Max 60 racks/hr
- Hot or cold feed
- External Dimensions: 600 W 610 D 830 H
- On Site Warranty

2 YEAR WARRANTY   

DU0750/WS 



- 500mm basket
- Max 20 racks/hr
- Drain pump
- External Dimensions: 570 W 630 D 835 H
- On Site Warranty

2 YEAR WARRANTY  

CW522D 



This high output undercounter dishwasher bridges the gap for users not able to invest their money or space in a full passthrough system. The ability to accept 2x 500mm baskets can mean double the output of a traditional undercounter model, as well as including all the key features of the Smeg Foodservice Warewashing range.

- 2 x 500mm baskets
- Electronic controls with 7 programs
- External Dimensions: 600 W 600 D 820 H
- Up to 120 baskets per hour
- Detergent & rinse aid injectors
- On Site Warranty

1 YEAR WARRANTY   

F4EHRA 



- 500mm square basket
- Max 60 racks/hr
- Hot or cold feed
- External Dimensions: 600 W 610 D 830 H
- On Site Warranty

2 YEAR WARRANTY   

SH50E 



- 500mm square basket
- Maximum output of 30 racks per hour
- 120, 180 or 240 cycle lengths
- External Dimensions: 710 W 740 D 1860 H
- On Site Warranty

1 YEAR WARRANTY  

CWC520D 



- 500mm basket
- Up to 72 baskets per hour
- Electronic controls with 7 programs
- External Dimensions: 614 W 732 D 1580/2055 H
- On Site Warranty

1 YEAR WARRANTY  

LC411 



- 500mm square basket
- 30 racks/hr
- Hot or cold feed
- External Dimensions: 720 W 750 D 1470 H
- On Site Warranty

1 YEAR WARRANTY  

505070 



- 500mm square basket
- Max 80 racks per hour
- 3 phase
- External Dimensions: 746 W 755 D 1549 H
- On Site Warranty

2 YEAR WARRANTY   

CWC520SD 



- 500mm basket
- Up to 72 baskets per hour
- Electronic controls with 7 programs
- External Dimensions: 614 W 732 D 1580/2055 H
- On Site Warranty

1 YEAR WARRANTY  

DISHWASH SOLUTIONS 



Part of the unique Simply Stainless Modular Fabrications system, a range of accessories to suit leading warewashing products. Including cleans and dirties tables in a variety of sizes as well as basket cassettes and pre rinse sprays. All available off the shelf for Next Day Delivery as standard! Contact our Sales Team for more details...

- **SS07** - 'Cleans' outlet bench, 1200/1650mm wide, Suits leading commercial dishwashers
- **SS08** - 'Dirties' inlet bench, 1200/1650mm wide, Suits leading commercial dishwashers
- **SS09** - 'Dirties' inlet bench, 1200/1650mm wide, Suits leading commercial dishwashers
- **SS36DBC** - Accepts 4 x 500 x 500mm dishwasher baskets, Easy to fit bolt on accessory
- **SSAJPR30** - Deck mounted pre rinse spray, To fit all Simply Stainless sinks, Twin pedestal

X100C 



- 500mm square basket
- Up to 60 baskets per hour output
- 60, 120 and 180 second cycle times
- External Dimensions: 640 W 756 D 1920 H
- On Site Warranty

2 YEAR WARRANTY  

PT-ME 



- 500mm square basket
- Maximum output of 48 racks per hour
- 3 phase
- External Dimensions: 635 W 750 D 1515 H
- On Site Warranty

1 YEAR WARRANTY  

505072 



- 500mm square basket
- Max 80 racks per hour
- 3 phase
- External Dimensions: 746 W 755 D 1549 H
- On Site Warranty

2 YEAR WARRANTY   

LC411MADP 




- 500mm square basket
- 30 racks/hr
- Internal softener
- External Dimensions: 720 W 750 D 1470 H
- On Site Warranty

1 YEAR WARRANTY  

Passthrough Dishwashers

LC700 



- 500mm square basket
- 40 racks/hr
- 1 or 3 phase
- External Dimensions: 625 W 760 D 1460 H
- On Site Warranty

1 YEAR WARRANTY  

LC900 



- 500mm square basket
- 48 racks/hr
- 1 or 3 phase
- External Dimensions: 625 W 760 D 1460 H
- On Site Warranty


1 YEAR WARRANTY  


H857 





- 500mm square basket
- Max 40 racks/hr
- 1 or 3 phase
- External Dimensions: 630W 720D 1520/1940 H
- On Site Warranty

1 YEAR WARRANTY  

LC900DP 



- 500mm square basket
- 48 racks/hr
- 1 or 3 phase
- External Dimensions: 625 W 760 D 1460 H
- On Site Warranty

1 YEAR WARRANTY  

H857A 



- 500mm square basket
- Max 40 racks/hr
- Class 'A' air gap
- External Dimensions: 630 W 720 D 1520/1940 H
- On Site Warranty

1 YEAR WARRANTY  

504257 



- 500mm square basket
- Max 80 racks per hour
- 3 phase
- External Dimensions: 746 W 755 D 1567 H
- On Site Warranty

2 YEAR WARRANTY  

CWC631SDE-1 



This double skinned hood type dishwasher can accept a 600mm or 500mm square basket and also includes an integral water softener. Electronic controls with 7 programmes are capable of an output of up to 72 baskets per hour - perfect for sites dealing with large volumes of crockery on a regular basis. This model also includes an energy saving heat exchange system.

- 600x500mm or 500x500mm basket
- Up to 72 baskets per hour
- Electronic controls with 7 programs
- Double skinned & insulated
- External Dimensions: 734 W 760 D 1580/2000 H
- On Site Warranty

1 YEAR WARRANTY 

H857A/WS/DET 



- 500mm square basket
- Max 40 racks/hr
- Class 'A' air gap
- External Dimensions: 630 W 720 D 1520/1940 H
- On Site Warranty

1 YEAR WARRANTY  

LC1200 



- 500mm square basket
- 65 racks/hr
- 1 or 3 phase
- External Dimensions: 625 W 760 D 1460 H
- On Site Warranty

1 YEAR WARRANTY  

Passthrough Dishwashers & Cutlery Polishers

T: 01296 663 400
E: sales@rhhall.com
W: www.rhhall.com

Warewashing

CWC621D-1 



- 600x500mm or 500x500mm basket
- Up to 72 baskets per hour
- Electronic controls with 7 programs
- External Dimensions: 734 W 760 D 1580/2000 H
- On Site Warranty

1 YEAR WARRANTY  


H957/DET 



The Classeq Hydro series is built to perform with simple, clear controls including automatic cycle start. Options are available for WRAS approved machines including Class 'A' air gap and automatic clean down cycle. All models are suitable for straight line or corner installation.


- 500mm square basket
- 3 phase
- Hot or cold feed
- Detergent & rinse aid pumps
- External Dimensions: 630 W 720 D 1520/1940 H
- Max 40 racks/hr
- 1.5/3 min cycle time
- Drain pump
- External break tank required
- On Site Warranty

1 YEAR WARRANTY  

C800EDP 



- 500mm basket
- Max 48 racks/hr
- Hot or cold fill
- External Dimensions: 720 W 750 D 1470 H
- On Site Warranty

2 YEAR WARRANTY  

C1000E 



- 500mm basket
- Max 55 racks/hr
- Internal class 'A' air gap
- External Dimensions: 625 W 760 D 1460 H
- On Site Warranty

2 YEAR WARRANTY  

H957A/DET 



- 500mm square basket
- Max 40 racks/hr
- Class 'A' air gap
- External Dimensions: 630 W 720 D 1520/1940 H
- On Site Warranty

1 YEAR WARRANTY  

C1000EDP 



- 500mm basket
- Max 55 racks/hr
- 1 or 3 phase
- External Dimensions: 625 W 760 D 1460 H
- On Site Warranty

2 YEAR WARRANTY  

C1300E 



- 500mm basket
- Max 72 racks/hr
- 1 or 3 phase
- External Dimensions: 625 W 760 D 1460 H
- On Site Warranty

2 YEAR WARRANTY  

SAM-3001 



- 3000 pieces per hour output
- Dries, polishes and removes lime scale
- Fully automatic
- External Dimensions: 489 W 652 D 412 H
- On Site Warranty

1 YEAR WARRANTY  

SAS-5001 



- 5000-8000 pieces per hour output
- Dries, polishes and removes lime scale
- Fully automatic
- External Dimensions: 630 W 800 D 783 H
- On Site Warranty

1 YEAR WARRANTY  